

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

1 Claim 1 (currently amended): A composite sheet comprising a
2 sheet having elastic property and another sheet having slip
3 property wherein ~~the~~ said sheets are stacked vertically,
4 wherein said sheet having elastic property and said
5 sheet having slip property are both formed with a ~~slit~~
6 radial shaped slit, and
7 said sheets are arranged such that centers of the
8 radial shaped slits of said sheet having elastic property
9 and said sheet having slip property are conformed to each
10 other in the vertical direction and cut lines of said
11 radial shaped slits of said sheet having elastic property
12 and said sheet having slip property are not conformed to
13 each other in the vertical direction.

Claims 2-3 (canceled).

1 Claim 4 (previously presented): The composite sheet
2 according to claim 1, wherein said sheet having elastic
3 property is made of silicone rubber.

1 Claim 5 (previously presented): The composite sheet
2 according to claim 1, wherein said sheet having slip

property is made of polypropylene, polyethylene or
polytetrafluoroethylene.

Claim 6 (previously presented): The composite sheet
according to claim 1, wherein said sheet having slip
property has coefficient of dynamic friction and
coefficient of static friction, the both of the
coefficients being 0.2 or less.

Claim 7 (previously presented): The composite sheet
according to claim 1,
wherein said sheet having elastic property has
hardness Hs of 30° to 90° and reflection coefficient of 20%
to 50%.

Claim 8 (currently amended): A container for dispensing
liquid contained therein through an opening,
wherein said opening is closed with a composite sheet
comprising a sheet having elastic property and another
sheet having slip property wherein the sheets are stacked
vertically, and

wherein said sheet having elastic property and said
sheet having slip property are both formed with a radial
shaped slit, and

said sheets are arranged such that centers of the
radial shaped slits of said sheet having elastic property
and said sheet having slip property are conformed to each
other in the vertical direction and cut lines of said
radial shaped slits of said sheet having elastic property

15 and said sheet having slip property are not conformed to
16 each other in the vertical direction.

1 Claim 9 (new): The composite sheet according to claim 1,
2 wherein a small insertion resistance is provided to a tip
3 inserted into said radial shaped slits and said
4 non-conformed cut lines of said radial shaped slits of said
5 sheets provide a seal for said composite sheet.

1 Claim 10 (new): The composite sheet according to claim 8,
2 wherein a small insertion resistance is provided to a tip
3 inserted into said radial shaped slits and said
4 non-conformed cut lines of said radial shaped slits of said
5 sheets provide a seal for said composite sheet.